Chromatographia Vol. 28, 1989 Contents

Contents Vol. 28, No. 1/2, July 1989

Originals

Applications of Electrosorptive Detection in Ion Chromatography 5
Tore Ramstad

Investigations into the Chromatographic Behaviour of Silica Gels Produced from Ester Silicates 9
G. Eppert/G. Liebscher/I. Schinke

Analysis of Diisocyanate Monomers in Chemical Products Containing Polyurethanes by High Pressure Liquid Chromatography 15
S. C. Rastogi

Polymer Coated Stationary Phases for Liquid Chromatography 19
R. Ohmacht/M. Kele/Z. Matus

Gas Chromatographic Study of Some Local Anesthetics 24
M. Culea/N. Palibroda/Z. Moldovan/A. D. Abraham/P. T. Frangopol

Determination of Atmospheric Ammonia as M-Toluamide by Denuder Sampling and HPLC-UV Detection 27
M. Possanzini/V. Di Palo

Short Communication

Potential Barrier Field-Flow Fractionation for the Separation and Characterization of Colloidal Particles 31
G. Karaiskakis/A. Koliadima

Würzburg Chromatography Colloquium/Würzburger Chromatographie-Kolloquium

Analysis of Preservatives in Cosmetics – Methylisothiazolones 34
R. Matissek

High-Performance-Liquid Chromatography of *Thermus aquaticus* 50S and 30S Ribosomal Proteins 39
I. Molnar/R. I. Boysen/V. A. Erdmann

Amino Acid Analysis Using DABS-CL 45
H.-J. Schneider

HPLC-Methods in the Clinical-Chemical Laboratory of the Department of Dermatology of the University of Bonn 49
H.-P. Nissen/H. W. Kreysel

Isolation and Identification of Sialylcompounds from Hemofiltrate 59
H. Brunner/G. Weißhaar/H. Friebolin/H. Mann/W. Baumann/H.-G. Sieberth

Nucleotide and Aldehyde Analysis by HPLC for Determination of Radical Induced Damage 65
A. Werner/T. Grune/W. Siems/W. Schneider/H. Shimasaki/H. Esterbauer/G. Gerber

The Significance of Plasma Catecholamine Levels in the Pathogenesis of Arteriosclerosis 69
H.-J. Bauch/W. H. Hauss

A General Method for the Quantitative Determination of Catecholamines in Body Fluids Using Off-Line Sample Pretreatment and HPLC-ED Analysis 78
H.-J. Bauch/E. Strüwer/U. Kelsch

Requirements and Tests for HPLC Apparatus and Methods in Pharmaceutical Quality Control 85
G. Maldener

HPLC and Electrophoresis – Competitors or Partners 89
F. Lottspeich

International Amino Acid Sequence Analysis of Proteins Separated by Gel Eletrophoresis after Tryptic Digestion in Polyacrylamide Matrix 92
Ch. Eckerskorn/F. Lottspeich

Einsatz eines Enzymreaktors als HPLC-Detektor für die Bestimmung von Lebensmittel-inhaltsstoffen 95
R. Galensa

Contents Vol. 28, No. 3/4, August 1989

Editorial

60th Birthday of Gerhard Schomburg 125

Originals

Preparative Isolation of (+)-Beta-Eudesmol from *Amyris balsamifera* 126
T. A. van Beek/R. Kleis/G. P. Lelyveld/AE. de Groot

Preparative Scale Reversed-Phase HPLC Method for Simultaneous Separation of Carotenoids and Carotenoid Esters. 129
S. Scalia/G. W. Francis

The Effect of an Organic Eluent Modifier and pH on the Separation of Wheat-Storage Proteins: Application to the Purification of γ-gliadins of *Triticum monococcum* L 133
W. H. Vensel/D. Lafiandra/D. D. Kasarda

The Strength of Interaction of Highly Retentive Silanols with Hydrocarbons on Porasil C 139
J. Nawrocki

Trace Metal Impurities in Silica as a Cause of Strongly Interacting Silanols. 143
J. Nawrocki/Debbie L. Moir/W. Szczepaniak

Quantitative TLC Determination of Chlorophylls in Spruce Needles under Mild Polution Conditions 148
Daniela Heimler/M. Michelozzi/V. Boddi

Molecular Interactions in Liquid Adsorption Chromatography with Mixed Mobile Phase. Solvation of the Chromatographed Substance in a Ternary Mobile Phase 151
B. Ościk-Mendyk

Scale-Up of "Myxalin" Purification by a Pseudoaffinity Method Using a Radial Flow Column 157
A. Akoum/M. Sigot/M. A. Vijayalakshmi

Chromatographic Investigations of Furocoumarins from *Heracleum* Genus Fruits 161
T. Wawrzynowicz/M. Waksmundzka-Hajnos/M. L. Bieganowska

Determination of Residual Monomer in Polymer or Polymer Solution by Sealed Glass Capillary Sampling 167
Chen Peng

Influence of Mobile Phase Composition on the Adsorption of Hen Egg-White Proteins to Anion-Exchange Cellulose 170
P. R. Levison/D. W. Toome/S. E. Badger/B. N. Brook/D. Carcary

Thermodynamic Evaluation of the Intermolecular Interactions of Potassium Fluoride Crystal Dihydrate in Gas Chromatography 179
R. V. Golovnya/B. M. Polanuer

HPLC Analysis of Complex Mixtures of Triglycerides Using Gradient Elutions and an Ultraviolet Detector 183
L. J. R. Barron/G. Santa-Maria

Pressure Jumps Due to Flow Interruptions as Source of System Peaks in Liquid Chromatography with Mixed Eluents 189
T. Macko/L. Šoltes/D. Berek

Design of Enzyme Reactors as Chromatographic Columns for Racemic Resolution of Amino Acid Esters 193
J. Kalbé/H. Höcker/H. Berndt

Determination of Potential Degradation Products of Piroxicam by HPTLC Densiometry and HPLC 197
H. Tománková/J. Šabartová

Trace Enrichment and HPLC Analysis of Polycyclic Aromatic Hydrocarbons in Environmental Samples, Using Solid Phase Extraction in Connection with UV/VIS Diode-Array and Fluorescence Detection 203
H. G. Kicinski/S. Adamek/A. Kettrup

High-Performance Liquid Chromatographic Separation of 1,3,5-Triazine Herbicides 209
W. J. Günther/A. Kettrup

Chiral Bonded Packings for Liquid Chromatography: Preparation and Evaluation of N-acylated Aminoacid Packings based on Aminopropylated Silica Gel. 212
J. N. Akanya/D. R. Taylor

Contents Vol. 28, No. 5/6, September 1989

Originals

Uncertainty Resulting from Inconstancy in the Slope of the Log Plot of Homologous Series 237
S. J. Hawkes

Monte-Carlo Simulation of Gas Chromatographic Separation for the Prediction of Retention Times and Peak Half Widths 241
M. Wernekenschnieder/P. Zinn

Comparison of Normal-Phase and Reversed-Phase Gravity-Flow Column Methods for Provitamin A Determination 249
Adriana Z. Mercadante/Delia B. Rodriguez-Amaya

The Effect of Elevated Temperature on Conventional Stationary Phases Used In SFC 253
C. W. Saunders/L. T. Taylor

A Chromatographic Method for Hydrophobicity Investigations of Sorbents 258
V. A. Pasechnik/L. Ya. Solovyova/A. A. Gorbunov/Ye. V. Mitrofanov/Ye. A. Karabanova

Enantiomerization during HPLC on an Optically Active Sorbent. Deconvolution of Experimental Chromatograms 263
A. Mannschreck/L. Kießl

Derivatization of Carboxylic Acids with 9-Bromomethylacridine Using Micellar Phase-Transfer Catalysis 267
F. A. L. van der Horst/M. H. Post/J. J. M. Holthuis/U. A. Th. Brinkman

Computer Optimization of Separation in Gas-Solid Chromatography. Optimization Model and Computer-Modified Mapping Procedure 274
Xie Minggao/Zhou Chunfeng/Yang Xiaohong/Ding Gongyou

Retention Characteristics of Aliphatic Compounds on Cellulose Acetates as a Stationary Phase with an Aqueous Mobile Phase 279
Y. Kiso/T. Kitao/Ge Yong-Sheng/K. Jinno

Computer-Assisted Transposition of Conditions in High-Performance Thin-Layer Chromatography to High-Performance Liquid Chromatography for the Separation of Pesticides 285
Wang Qin-Sun/Gao Ru-Yu/Wang Heng-Yan

A Simple Highly Reproducible Gradient System for Micro Column HPLC 289
H. Bauer

Computer Simulation of Non-Linear Preparative Chromatography Processes 293
R. Nowakowski

Dicyclopentadiene Dissociation in a Chromatographic Reactor. Effect of the Liquid Phase Polarity on the Reaction Rate 300
J. Coca/M. Bravo/E. Abascal/G. Adrio

A High-Performance Liquid Chromatographic Method for Determination of Flecainide in Human Plasma Using Fluorescence Detection 303
S. Humfeld/F. Susanto/W. Riedel/H. Reinauer

A Specific Sensitive HPLC Method for Determination of Plasma Dopamine 307
Parinam S. Rao/Nisa Rujikarn/J. M. Luber, Jr./D. H. Tyras

Short Communications

HPLC Determination of the Flavonoid Glycosides from *Betulae folium* Extracts 311
P. G. Pietta/P. L. Mauri/E. Manera/P. L. Ceva

A Novel Sealing Method in Static Coating Fused-Silica Capillary Column 313
H. F. Yin/A. J. Huang/Y. L. Sun

Trace Analysis of Heavy Metal Ions by Ion Chromatography 315
H. Bauer/Doris Ottenlinger/Daren Yan

Contents Vol. 28, No. 7/8, October 1989

Originals

Direct Preparative Resolution of Racemic Amino-Acids Using Ligand Exchange Chromatography (Chirallec) 337
G. Jeanneret-Gris / C. Soerensen / H. Su / J. Porret

Application of Diode Array Detectors for Solute Identification in Toxicological Analysis 341
H. Engelhardt / Th. König

Physico-Chemical Modelling of Solute Retention in Reversed-Phase HPLC with Ternary Mobile Phases 354
Teresa Kowalska

Assay for Methylnaltrexone in Rat Brain Regions and Serum by High-Performance Liquid Chromatography with Coulometric Electrochemical Detection 359
C. Kim / R. Cheng / W. A. Corrigall / K. M. Coen

Use of a New Adsorbent in the Separation and Detection of Glucose and Fructose by HPTLC 364
R. Klaus / W. Fischer / H. E. Hauck

Precolumn Fluorogenic Labelling of Carboxylic Acids with the Use of N-(1-Pyrenyl)-Bromoacetamide and Phase-Transfer Catalysis 367
S. Allenmark / M. Chelminska-Bertilsson

A Chromatographic Analysis of Hindered Diffusion of Saccharides in Silica Gels 370
C. B. Ching / K. H. Chu

A Highly Sensitive Method for the Determination of Adriamycin and Adriamycinol in Human Plasma Using HPLC with Fluorimetric Detection 375
F. R. Leca / D. Marchiset-Leca / M. Antonetti

Determination of the Micelle-Solute Association Constants of some Benzene and Naphthalene Derivatives by Micellar High Performance Liquid Chromatography 379
M. L. Marina / S. Vera / A. R. Rodriguez

Basic Aspects of Stop-Flow Split Injection 385
G. Liu / Z. Xin

Synthetic Tanning Agents. Characterization, Control of Synthesis and Assessment of Correlations between Product Composition and Tanning Properties by Reversed-Phase High Performance Liquid Chromatography 391
C. Baiocchi / G. Saini / P. L. Bertolo / M. Favale

Analysis of Volatiles in Polymers, Part II. Supercritical Fluid Extraction/Open Tubular GC/MS. 400
S. Schmidt / L. Blomberg / T. Wännnman

A Simple Method for Concentrating Volatile Flavor Compounds in Aqueous Systems Using RP-HPLC 405
T. Aishima / Y. Ozawa

Short Communications

High-Performance Liquid Chromatographic Analysis of Dinitrobenzene Isomers 412
S. R. Raverkar / N. V. Rama Rao

Criterion for an EMG Peak 415
N. S. Wu

Contents Vol. 28, No. 9/10, November 1989

Originals

Ion-Pair Chromatography with Divalent Counter Cations in Reversed-Phase Systems 437
C. Pettersson/G. Schill

A Direct and Practical Method of Coupling Packed Column Supercritical Fluid Chromatography with Thin Layer Chromatography 445
U. Keller/I. Flament

Retention of Acidic and Basic Compounds in Packed Column Supercritical Fluid Chromatography 449
D. Upnmoor/G. Brunner

Charge-Transfer Chromatographic Study on the Inclusion Complex Formation of Some Barbituric Acid Derivatives with Various Cyclodextrins 455
T. Cserháti/J. Szejtli/J. Bojarski

Selective Preconcentration on a Metal Loaded Silica Precolumn and On-Line HPLC Separation of Catechol Derivatives in a Complex Medium. Application to the Analysis of Catecholamines in Urine 459
A. A. Descombes/W. Haerdi

HPLC Determination of the Phenolic Metabolites of Phenoxy Alkanoic Acid Herbicides 465
M. K. Fayyad/M. A. Alawi/T. J. El-Ahmed

Study of Solid Surface Polarity by Inverse Gas Chromatography at Infinite Dilution 469
S. Dong/M. Brendlé/J. B. Donnet

Computer-Assisted Optimization of Multicomponent Solvent Selectivity in High-Performance Thin-Layer Chromatography Using a Mixture-Design Statistical Technique 473
Wang Qin-Sun/Yan Bing-Wen

High-Performance Liquid Chromatographic Resolution of Enantiomers on Chiral Epoxy Polymer-Coated Silica Gel 477
A. Messina/I. Nicoletti/M. G. Quaglia-Strano/M. Sinibaldi

Optical Resolution of 2-Hydroxy Acids by High-Performance Ligand Exchange Chromatography 481
H. Katoh/T. Ishida/Shin-ichi Kuwata/H. Kiniwa

Gas Chromatographic Detection of D-Amino Acids as Common Constituents of Fermented Foods 487
H. Brückner/M. Hausch

The Effects of Buffer Salt Concentration on the HPLC Retention of Nucleic Acid Components 493
Guanghui Liu

Isolation and Quantitative Analysis of Hydroxylysine Glycosides 497
R. M. Napoli/B. S. Middleditch/N. M. Cintron/Y.-M. Chen

Variation of Retention Index of a Solute Due to the Presence of a Large Neighboring Peak 502
H. F. Yin/Y. Zhu/Y. L. Sun

Optical Resolution HPLC Column Packings Carrying Penicillin Sulfoxide Nucleus. Part I. Polymer Synthesis and Resolution Efficiency 505
Y. Saotome/T. Miyazawa/T. Endo

Optical Resolution HPLC Column Packings Carrying Penicillin Sulfoxide Nucleus. Part II. Influence of the Radical Polymerization Solvent on the Optical Resolution Efficiency 509
Y. Saotome/T. Miyazawa/T. Endo

Optical Resolution HPLC Column Packings Carrying Penicillin Sulfoxide Nucleus. Part III. Radical Copolymers and their Optical Resolution Efficiency 511
Y. Saotome/T. Miyazawa/T. Endo

Optical Resolution HPLC Column Packings Carrying Penicillin Sulfoxide Nucleus. Part IV. Effect of Substituents in the Benzyl Ester Group on the Optical Resolution Efficiency 513
Y. Saotome/T. Miyazawa/T. Endo

Short Communications

Separation and Fluorodensitometric Determination of Some Tropolone Alkaloids by Thin-Layer Chromatography 516
Veronika Lukić/Olga Gašić/Daniela Walterova/V. Šimanek

Separation of Metal Acetylacetonates by Reversed-Phase High-Performance Liquid Chromatography 519
J. Maslowska/S. Starzyński

Contents Vol. 28, No. 11/12, December 1989

Originals

Rapid Method for the Clean-up of Extracts of Cottonseed prior to Aflatoxin Determination by Bi-directional HPTLC 541
N. Bradburn/K. Jewers/B. D. Jones/I. I. Tomlins

An Experimental Study of Residual Chemicals in Elastomeric Stoppers for Injectables: a MS/GC Survey and a Headspace/GC Purity Test 545
L. Gramiccioni/M. R. Milana/A. Maggio/R. Feliciani/C. Gesumundo

Immobilized Enyzmes as Chromatographic Phases for HPLC: The Chromatography of Free and Derivatized Amino Acids on Immobilized Trypsin 551
Sylvie Thelohan/Ph. Jadaud/I. W. Wainer

Colloid Stationary Phases Including Nematic Liquid Crystals and High-Disperse Mineral Particles 556
M. S. Vigdergauz/L. A. Onuchak/G. B. Senitskaya

Chromatography Based on Membrane Separation with Vesicular Packing Material 561
R. Ehwald/G. Fuhr/M. Olbrich/H. Göring/R. Knösche/R. Kleine

Evaluation of Synthetic Procedures for the Chemical Modification of Alumina for HPLC 565
J. J. Pesek/H.-D. Lin

Packed Column Supercritical Fluid Chromatographic Comparison of Conventional and Polymer-Coated Silica Bonded Phases 569
M. Ashraf-Khorassani/L. T. Taylor/R. A. Henry

Effect of Destruction of Chemically Bonded Reversed Phases by Hexamethyldisilazane During End-Capping 574
B. Buszewski

Positive and Negative Chemical Ionization GC/MS and GC/MS/MS for Chromatographic Studies of Vetiveryl Acetate. Use of MS/MS for the Differentiation of Isomeric Sesquiterpenes 579
Annie Cazaussus/P. Y. Rozé/Nicole Sellier

Semi-Preparative High-Performance Liquid Chromatographic Separation of Four 1.1-Dimethyl-ethyl 4- and 5-Bromo-*trans*-2-methylcyclohexane-1-carboxylate Isomers 585
J. D. Warthen, Jr./T. P. McGovern

Characterization of Specific Interaction Capacity of Solid Surfaces by Adsorption of Alkanes and Alkenes. Part I: Adsorption on Open Surfaces 588
M. Sidqi/G. Ligner/J. Jagiello/H. Balard/E. Papirer

Rapid Liquid Chromatographic Analysis of Carboxylic Acid-5-Hydroxytryptamides in Coffee 593
A. Laganà/L. Curini/S. de Angelis Curtis/A. Marino

Determination of Chlorotriazine Herbicides, their Dealkylated Degradation Products and Organophosphorus Pesticides in Soil Samples by Means of Two Different Clean Up Procedures. 597
G. Durand/R. Forteza/D. Barceló

Simultaneous Determination of Pseudouridine and Creatinine in Urine by HPLC with Polarographic Detection 605
F. Palmisano/A. Guerrieri/T. Rotunno/P. G. Zambonin

Separation of Adenosine Triphosphate and its Degradation Products in Innervated Muscle of the Frog by Reverse Phase High-Performance Liquid Chromatography 610
R. A. Cunha/Ana M. Sebastião/J. A. Ribeiro

Quantitative Supercritical Fluid Extraction Coupled to Capillary Gas Chromatography 613
J. M. Levy/A. C. Rosselli

Sampling and Analysis of Airborne Chlorinated Methanes – Comparison of FID and ECD 617
Y. Morele/C. Lefevre/P. Ferrari/J. P. Guenier/J. Muller

Thin-Layer Chromatography of Inorganic Ions on Polyethyleneimine Cellulose in Mixed Sulfuric Acid – Organic Solvent Media 620
T. Shimizu/H. Hirata/K. Nakajima

Applications of Chromatographic and Spectrometric Techniques to the Study of Dexamethasone Related Compounds 623
Ph. Gaignage/G. Lognay/M. Marlier/M. Severin/Ph. Dreze

Optimization in Equilibrium Headspace GC/FTIR 631
A. Rau/H. Görtz

Sample Plug Tailing and Cold Trap Effect in Hot Split Sampling 639
G. Liu/Z. Xin